

according to regulation (EU) No. 1907/2006

Printing date: 09/13/2021 picodent löffelreiniger Page 1 of 14

1. Identification of the substance/mixture and of the company/undertaking *

1.1 Product identifier

Trade name: picodent löffelreiniger 9QP1-3JED-D00J-MU58 UFI:

1.2 Relevant identified uses of the substance

or mixture and uses advised against

Relevant identified uses: Cleaning agent

Intended purpose: Liquid concentrate for the cleaning of impression trays, mixing

spatulas and instruments

Uses advised against: None at intended use.

Note: The product is intended for professional users.

1.3. Details about the manufacturer of the safety data sheet

Company name: ALPRO MEDICAL GMBH

Street: Mooswiesenstr. 9 City: D-78112 St. Georgen Telephone: +49 7725 9392-0

info@alpro-medical.de E-Mail:

Internet: www.alpro-medical.de

E-mail address for the competent person

responsible for the safety data sheet: doku@alpro-medical.de

Supplier/Distribution: picodent GmbH

Lüdenscheider Str. 24-26

D-51688 Wipperfürth Telephone: +49 2267 6580-0 E-Mail: picodent@picodent.de Internet: www.picodent.de

1.4. Emergency contact number

In-house emergency telephone number: Telephone: +49 7725 9392-0 (ALPRO MEDICAL GMBH)

Monday - Friday from 08:00 am to 04:30 pm (UTC+1); for chemical information and legal information on hazardous

substances only

Poison centre: Telephone: +49 761 19240

Poisoning information centre, Freiburg, Germany

(24 h / 7 d), English is spoken

2. Hazards identification *

2.1. Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 [CLP]

Classification Classification procedure

Flam. Liq. 3; H226 On basis of test data (Flash point)

Eye Irrit. 2; H319 Calculation method Skin Irrit. 2; H315 Calculation method

Revision: 09/08/2021 Revisions-No.: 2.0 GB









Telefax: +49 7725 9392-91



according to regulation (EU) No. 1907/2006

Printing date: 09/13/2021 picodent löffelreiniger Page 2 of 14

Full text of hazard classes as well as H-phrases: see under SECTION 16.1.

2.2 Label elements

Label elements in accordance with Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms:



Signal word: Warning

Hazard components for labelling:

H-phrases:

H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation.

P-phrases:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P210

P280 Wear protective gloves/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards The substances in the mixture do not meet the PBT/vPvB criteria

according to Regulation (EC) No 1907/2006, Annex XIII.

No further hazards known.

3. Composition/information on ingredients *

3.2. Mixtures

Chemical characterisation: Mixture of substances listed below with non-hazardous additions in

aqueous solution.



Revisions-No.: 2.0







Revision: 09/08/2021



according to regulation (EU) No. 1907/2006

Printing date: 09/13/2021 picodent löffelreiniger Page 3 of 14

Hazardous ingredients

Chemical name	Identification numbers	Classification in accordance with Regulation (EC) No 1272/2008	Weight %
Sulfonic acids, C14-17- sec-alkane, sodium salts	CAS No: 97489-15-1 EC No: 307-055-2 REACH Registration No: 01-2119489924-20-XXXX	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 Specific concentration limits: Acute Tox. 4; H302: $C > 60$ % Skin Irrit. 2; H315: $C > 60$ % Eye Dam. 1; H318: $C > 60$ % Skin Irrit. 2; H315 and Eye Dam. 1; H318: 15 % $< C \le 60$ %. Skin Irrit. 2; H315 and Eye Irrit. 2; H319: 10 % $< C \le 15$ %	≥ 5 - < 15
Propan-2-ol	CAS No: 67-63-0 EC No: 200-661-7 Index No: 603-117-00-0 REACH Registration No: 01-2119457558-25-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	≥ 5 - < 15
Trisodium nitrilotri-acetate	CAS No: 5064-31-3 EC No: 225-768-6 Index No: 607-620-00-6 REACH Registration No: 01-2119519239-36-XXXX	Carc. 2; H351: $C \ge 5 \%$ Acute Tox. 4; H302 Eye Irrit. 2; H319 Specific concentration limits: Carc. 2; H351: $C \ge 5 \%$	≥ 1 - < 5
Sodium p-cumenesulphonate	CAS No: 15763-76-5 EC No: 239-854-6 REACH Registration No: 01-2119489411-37-XXXX	Eye Irrit. 2; H319	≥1-<5
Hydrogen chloride	CAS No: 7647-01-0 EC No: 231-595-7 Index No: 017-002-01-X REACH Registration No: 01-2119484862-27-XXXX	Met. Corr. 1; H290 Skin Corr. 1B; H314 STOT SE 3; H335 Specific concentration limits: Met. Corr. 1; H290: C ≥ 0,1 % Skin Corr. 1B; H314: C ≥ 25 % STOT SE 3; H335: C ≥ 10 % Skin Irrit. 2; H315 and Eye Irrit. 2; H319: 10 % ≤ C < 25 %	≥1-<5
Alcohols, C12-14, ethoxylated	CAS No: 68439-50-9 EC No: 500-213-3 REACH Registration No: 01-2119487984-16-XXXX	Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 M-Factor acute: 1	≥ 1 - < 5

Full text of hazard classes and H-phrases: see SECTION 16.1.



Revisions-No.: 2.0







Revision: 09/08/2021



according to regulation (EU) No. 1907/2006

Printing date: 09/13/2021 picodent löffelreiniger Page 4 of 14

4. First aid measures

4.1. Description of first aid measures

General information: First aider: Pay attention to self-protection!

Following inhalation: Move affected person into fresh air and keep still and warm. In case

of continued complaints seek medical advice.

Following skin contact: Wash skin immediately with plenty of water and soap. In case of skin

reactions, consult a physician.

Following eye contact: Flush eyes immediately with flowing water for 10 to 15 minutes

holding eyelids apart. Remove contact lenses, if present and easy to

do. Consult an ophthalmologist.

Following ingestion: Rinse mouth with water. Let drink plenty of water. Do not induce

vomiting. Consult a physician immediately.

4.2. Most important symptoms and effects,

both acute and delayed Causes skin irritation. Causes serious eye irritation.

4.3. Indication of any immediate medical

attention and special treatment needed No information available.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water spray jet, alcohol resistant foam, extinguishing powder, carbon

dioxide (CO2)

Unsuitable extinguishing media: Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon monoxide (CO), carbon dioxide (CO2), nitrogen oxides (NOx),

sulfur oxides (SxOy), hydrogen chloride

5.3. Advice for firefighters

Special protective equipment:Wear self-contained breathing apparatus.
Further information:
Cool endangered containers with water spray jet.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Use personal protective equipment. See SECTION 8.2.

Avoid skin and eye contact. Do not breathe vapours. Remove all sources of ignition. Provide adequate ventilation. Special danger of slipping by leaked/spilled product. Evacuate danger area. Observe

emergency plans. Consult experts.

For emergency responders

Use personal protective equipment. See SECTION 8.2.

6.2. Environmental precautionsDo not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Containment For large spills, dyke spilled material or otherwise contain material to

GB

ensure runoff does not reach a waterway. Cover or seal drains.

Revisions-No.: 2.0







according to regulation (EU) No. 1907/2006

Printing date: 09/13/2021 picodent löffelreiniger Page 5 of 14

Cleaning up Wipe up small amounts with absorbent material (e.g. cloth, fleece).

Absorb large amounts with liquid-binding material (sand,

diatomaceous earth, universal binder, sawdust). Collect in suitable, closed containers for disposal. Clean contaminated surfaces

thoroughly.

Other information Inappropriate containment and cleaning methods are not known.

6.4. Reference to other sections Information on safe handling see SECTION 7.1.

Information on personal protective equipment see SECTION 8.2.

Information on disposal see SECTION 13.

7. Handling and storage

7.1. Precautions for safe handling

Precautions Avoid contact with skin and eyes. Avoid breathing aerosols and

vapours. Keep away from sources of ignition. Keep container tightly

closed. Fill refill packages only in labelled original bottles.

Advice on general occupational hygiene When using do not eat, drink or smoke. Wash hands before breaks

and at end of work. Keep away from food and drink.

7.2. Conditions for safe storage, including

any incompatibilities

Requirements for storage rooms and vessels: Keep only in the original container. Keep container tightly closed and

Not necessary

Not necessary

kept upright to prevent any leakage.

Advice on common storage:

Further information on storage conditions:

Storage class ([DE] TRGS 510): LGK 3 Flammable liquids

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific end uses are stipulated.

Industry and sector specific guidance

[DE] TRGS 525 – Hazardous substances in medical care facilities (Section 7 Activities with disinfectants); Issue:

September 2014;

Source: GMBI 2014 page 1294-1307 of 13.10.2014 [No 63]; www.baua.de

[DE] DGUV rules 107-002 (former BGR 206) - Disinfection works in health service

Issue: July 1999; Source: www.dguv.de/publikationen

Revisions-No.: 2.0









according to regulation (EU) No. 1907/2006

Printing date: 09/13/2021 picodent löffelreiniger Page 6 of 14

8. Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Country	Long teri	Limit va m (8 hours) mg/m³		(15 minutes) mg/m³	Legal basis	Remarks		
Propan-2-ol (CAS No: 67-63-0)								
EU						no limit value specified		
UK	400	999	500	1250	EH40			
Hydrogen chloride (gas and aerosol mists) (CAS No: 7647-01-0)								
EU	5	8	10	15	2000/39/EG	-		
UK	1	2	5	8	EH40			

Used abbreviations, symbols, numerals and explanations in column "Remarks"

_

Biological limit values

Country	Parameter	Limit value	Test material	Sampling time	Legal basis	
Propan-2-ol (CAS No: 67-63-0)						
Germany	Acetone Acetone	25 mg/l 25 mg/l	Whole blood Urine	End of exposition, resp. end of shift End of exposition, resp. end of shift	TRGS 903 TRGS 903	

Information on monitoring procedures

BS EN 482:2012-04-30; Title: Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents; British version of EN 482:2012

BS EN 689:1996-04-15; Title: Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy;
British version of EN 689:1995

BS EN 14042:2003-04-24; Title: Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents; British version of EN 14042:2003



Revisions-No.: 2.0









according to regulation (EU) No. 1907/2006

Printing date: 09/13/2021 picodent löffelreiniger Page 7 of 14

8.2. Exposure controls

Appropriate engineering controls

Technical and organisational protective

measures The eyewash station (or eyewash bottle) must be located near the

workplace.

Personal protective equipment

Eye/face protection: Safety glasses with side protection according to EN 166

Skin protection:

Hand protection: Protective gloves according to EN 374

Splash guard:

Disposable gloves made of nitrile rubber (thickness 0.11 mm)

Permanent contact (> 480 min):

Protective gloves made of nitrile rubber (thickness 0.40 mm)

Other skin protection:Not necessary when used as intended.Respiratory protection:Not necessary when used as intended.Thermal hazards:No special protective measures necessary.

Environmental exposure controlsDo not discharge into drains.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:clear, yellowish liquidOdour:characteristicOdour threshold:no data available

pH (undiluted): 6.0 – 7.0 (20 °C)

Melting point/freezing point: no data available

Initial boiling point and boiling range: no data available

Flash point: 32 °C (EN ISO 2719:2002)

Evaporation rate:no data availableFlammability (solid, gas):not applicableLower explosive limit:Propan-2-ol: 2 vol%Upper explosive limit:Propan-2-ol: 13 vol%

Vapour pressure: no data available (... °C)

Vapour density: no data available

Relative density: 1.060 – 1.080 (20 °C)

Solubility in water: completely soluble not applicable

n-octanol/water

Auto-ignition temperature:not applicableDecomposition temperature:no data availableViscosity:no data available

Explosive properties: The product is not explosive. However, formation of explosive vapour/

air mixtures is possible.

Oxidising properties: none

9.2. Other information

Refractive index nD: 1.3847-1.3920 (20 °C)

Electrical conductivit: 37,0 - 40,0 mS/cm (20 °C)

Revisions-No.: 2.0







Revision: 09/08/2021



according to regulation (EU) No. 1907/2006

Printing date: 09/13/2021 picodent löffelreiniger Page 8 of 14

10. Stability and reactivity

10.1. ReactivityNo hazardous reactions when handled and stored as intended.

10.2. Chemical stabilityThe product is stable when handled and stored as intended.

10.3. Possibility of hazardous reactions Vapours may form explosive mixtures with air.

10.4. Conditions to avoid Keep away from heat and sources of ignition.

10.5. Incompatible materials None known

10.6. Hazardous decomposition products

Does not decompose when used as intended.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Product

Acute toxicity - oral: Acute Toxicity Estimate ATEmix > 2000 mg/kg

=> no classification

Acute toxicity - dermal: Acute Toxicity Estimate ATEmix > 2000 mg/kg

=> no classification

Acute toxicity - inhalation: Acute Toxicity Estimate ATEmix > 20 mg/l

=> no classification

Ingredients

Sulfonic acids, C14-17-sec-alkane, sodium salts

(CAS No: 97489-15-1):

Acute toxicity - oral: LD50: 500 – 2000 mg/kg; species: rat; method: OECD 401

Trisodium nitrilotriacetate (CAS No: 5064-31-3):

Acute toxicity - oral: LD50: 1000 - 2000 mg/kg; species: rat; method: (BASF-test)

Skin corrosion/irritation

Product Causes skin irritation. [calculation method]

Serious eye damage/irritation

Product Causes serious eye irritation. [calculation method]

Respiratory or skin sensitisation

Product No data available.

Germ cell mutagenicity

Product No data available.

Carcinogenicity

Product No data available.



Revisions-No.: 2.0









according to regulation (EU) No. 1907/2006

Printing date: 09/13/2021 picodent löffelreiniger Page 9 of 14

Ingredients

Trisodium nitrilotriacetate (CAS No: 5064-31-3): The substance was shown to have a carcinogenic effect in animal

studies with long-term administration of large amounts via the drinking water or via the food. With single or short-term intake of the substance a carcinogenic effect is however practically ruled out.

Reproductive toxicity

Product No data available.

STOT-single exposure

Product No classification. [calculation method]

Ingredients

Propan-2-ol (CAS No: 67-63-0): May cause drowsiness or dizziness. Hydrogen chloride (CAS No: 7647-01-0): May cause respiratory irritation.

STOT-repeated exposure

Product No data available.

Aspiration hazard

Product No data available.

12. Ecological information

12.1. Toxicity No classification. [calculation method]

12.2. Persistence and degradability

Biodegradability: The product is biodegradable according to OECD criteria. The

statement has been derived from the properties of the ingredients.

12.3. Bioaccumulative potential No data available.

12.4. Mobility in soilNo data available.

12.5. Results of PBT and vPvB assessmentThe substances in the mixture do not meet the PBT/vPvB criteria

according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Other adverse effectsNo data available.

13. Disposal considerations

13.1. Waste treatment methods

Disposal of the product Product residues must be disposed of as hazardous waste in

compliance with the Directive 2008/98/EC on waste as well as national and regional regulations. Do not dispose of via the waste water. Leave product in the original container as possible. Do not mix

with other waste materials.

Waste codes / waste designations according to EWC

Product residues:

GB

16 10 03* aqueous concentrates containing hazardous substances



Revisions-No.: 2.0







according to regulation (EU) No. 1907/2006

Printing date: 09/13/2021 picodent löffelreiniger Page 10 of 14

Disposal of the packaging Packaging contaminated with product is considered as hazardous

waste and must be disposed of accordingly.

Waste codes / waste designations according to EWC

Contaminated packaging:

15 01 10* packaging containing residues of or contaminated by

hazardous substances

Recommendation Contaminated packaging must be emptied optimally and can be

recycled after appropriate cleaning (rinse with water).

14. Transport information

14.0. Transport classification Dangerous good in sense of the transport regulations in road traffic

(ADR), railway traffic (RID), inland waterway traffic (ADN), maritime

traffic (IMDG-Code) and air traffic (ICAO-TI/IATA-DGR).

14.1. UN number UN 1987

14.2. UN proper shipping name

ADR/RID/ADN ALCOHOLS, N.O.S. (Isopropanol) IMDG-Code/ICAO-TI/IATA-DGR ALCOHOLS, N.O.S. (Isopropanol)

14.3. Transport hazard class(es)

Class: 3 Subsidiary risk(s):

Ш 14.4. Packing group

14.5. Environmental hazards

ADR/RID/ADN

Environmentally Hazardous: No

IMDG-Code

Marine Pollutant: No

14.6. Special precautions for user Not necessary.

14.7. Transport in bulk according to Annex II

of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.



Revisions-No.: 2.0







Revision: 09/08/2021



according to regulation (EU) No. 1907/2006

Printing date: 09/13/2021 picodent löffelreiniger Page 11 of 14

30

D/E

14.8. Further information

Transport category according to ADR

section 1.1.3.6: 3

Maximum total quantity per transport unit

according to ADR section 1.1.3.6: 1000 L

Limited quantity (Maximum quantity per inner

packaging) according to ADR/RID/ADN/IMDG-Code: 5 L Classification code according to ADR/RID/ADN: F1

Hazard identification number according to ADR/RID:

Tunnel restriction code according to ADR/RID:

Segregation group according to IMDG-Code

section 5.4.1.5.11.1:

EmS codes: F-E, S-D

15. Regulatory information

15.1. Safety, health and environmental regulations/ legislation specific for the substance or mixture

EU-Regulations

REGULATION (EC) No 1005/2009 on substances

that deplete the ozone layer not applicable

REGULATION (EC) No 850/2004 on persistent organic

pollutants and amending Directive 79/117/EEC not applicable

REGULATION (EU) No 649/2012 concerning the

export and import of hazardous chemicals not applicable

DIRECTIVE 2012/18/EU (Seveso III Directive) on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

Hazard category Qualifying quantity (tonnes) Qualifying quantity (tonnes) (lower-tier establishment) (upper-tier establishment)

P5c FLAMMABLE LIQUIDS 5.000 50.000

DIRECTIVE 2010/75/EU on industrial emissions

(integrated pollution prevention and control) not applicable

REACH - List of substances subject to

authorisation (Annex XIV) not applicable

REACH – Restrictions on the manufacture, placing

on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII) not applicable

COUNCIL DIRECTIVE 94/33/EC on the protection

of young people at work not applicable



Revisions-No.: 2.0







Revision: 09/08/2021

Telephone: +49 2267 6580-0 • www.picodent.de



according to regulation (EU) No. 1907/2006

Printing date: 09/13/2021 picodent löffelreiniger Page 12 of 14

COUNCIL DIRECTIVE 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding.

who have recently given birth or are breastfeeding not applicable

15.2. Chemical safety assessment

For this mixture no chemical safety assessment has been carried out.

16. Other information

16.1. Full text of hazard classes and H-phrases

Hazard classes

Acute Tox. Acute toxicity
Aquatic Acute Acute aquatic hazard
Aquatic Chronic Long-term aquatic hazard

Carc. Carcinogenicity
Eye Dam. Serious eye damage
Eye Irrit. Eye irritation
Flam. Liq. Flammable liquid

Met. Corr. Substance or mixture corrosive to metals

Skin Corr. Skin corrosion Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity (single exposure)

H-phrases (Hazard statements)

H225
Highly flammable liquid and vapour.
H226
H290
H290
H302
H303
H304
H305
H306
H307
H307
H308
H309

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routs of

exposure cause the hazard>.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

16.2. Abbreviations and acronyms

ADN Accord européen relatif au transport international des marchandises dangereuses par voie de navigation

intérieure (European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways)

ADR Accord européen relatif au transport international des marchandises dangereuses par route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

BGR Berufsgenossenschaftliche Regeln (English: Employers' liability insurance association rules)

BS British Standards

CAS Chemical Abstracts Service

CLP Regulation on Classification, Labelling and Packaging of Substances and Mixtures

[DE] National German regulations













according to regulation (EU) No. 1907/2006

Printing date: 09/13/2021 picodent löffelreiniger Page 13 of 14

DGUV Deutsche Gesetzliche Unfallversicherung (English: German statutory accident insurance)

EC European Community

EEC European Economic Community

EmS Emergency Schedules (Emergency response procedures for ships carrying dangerous goods)

EN European Standard EU European Union

EWC European Waste Catalogue

GHS Globally Harmonized System of Classification, Labelling and Packaging of Chemicals

GMBI Gemeinsames Ministerialblatt (English: Joint Ministerial Gazette)

IATA-DGR International Air Transport Association - Dangerous Goods Regulations

IBC-Code International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO-TI Technical Instructions For The Safe Transport of Dangerous Goods by Air

IMDG-Code International Maritime Code for Dangerous Goods

LD50 Median lethal dose

LGK Lagerklasse (English: Storage class)

MARPOL International Convention for the Prevention of Marine Pollution from Ships

N.O.S. Not otherwise specified

OECD Organization for Economic Co-operation and Development

PBT Persistent, bioaccumulative and toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses

(Regulations Concerning the International Carriage of Dangerous Goods by Rail)

TRGS Technische Regeln für Gefahrstoffe (English: Technical Rules for Hazardous Substances)

UN United Nations

UTC Coordinated Universal Time (French: Temps Universel Coordonné)

vPvB Very persistent and very bioaccumulative

16.3. Key literature references and sources for data

- Regulation (EC) No 1907/2006 (REACH), Annex II
- European Chemicals Agency (ECHA) Guidance on the compilation of safety data sheets; Version 2.1 (February 2014); http://echa.europa.eu/documents/10162/13643/sds_en.pdf
- GISBAU (Hazardous substances information system of the BG BAU) course "safety data sheet"; http://www.bgbau.de/gisbau/SDB/lehrgang/lehrgang.htm
- Regulation (EC) No 1272/2008 (CLP regulation)
- European Chemicals Agency (ECHA) Guidance on Labelling and Packaging in accordance with Regulation (EC) No 1272/2008 (04/2011); http://echa.europa.eu/documents/10162/13562/clp_labelling_en.pdf
- European Chemicals Agency (ECHA), Registered substances;
 - http://echa.europa.eu/information-on-chemicals/registered-substances
- European Chemicals Agency (ECHA), C&L Classification and Labelling Inventory; http://echa.europa.eu/information-on-chemicals/cl-inventory-database
- Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA):
 GESTIS database on hazardous substances and GESTIS International limit values for chemical agents;
 http://www.dguv.de/dguv/ifa/index.jsp
- German Environmental Agency (Umweltbundesamt), Section IV 2.4: Office of Documentation and Information on Substances Hazardous to Waters RIGOLETTO (catalogue of Substances Hazardous to Waters); http://webrigoletto.uba.de/rigoletto

GB

16.4. Training advice

Provide adequate information, instructions and training for users.



Revisions-No.: 2.0









according to regulation (EU) No. 1907/2006

Printing date: 09/13/2021 picodent löffelreiniger Page 14 of 14

16.5. Indication of changes

* Data compared to the previous version Rev.-No. 1.0 altered.

The information given in the safety data sheet only apply to the described product in connection with its intended use. These information are based on the latest state of our knowledge at the time of revision. In particular, they describe our product under the aspect of its hazards and safety measures to be taken. They do not constitute any guarantee of product properties and quality features.

Revisions-No.: 2.0





