

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### picopreci plus

Revision date: 11.08.2025

Product code: 13522XX

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

picopreci plus

#### Further trade names

picopreci plus rosa  
picopreci plus zahnfarben  
picopreci plus rosa-opak

UFI: X390-T0X6-000Q-XXQW

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

light curing dental resin

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Company name: DeltaMed GmbH  
Street: Raiffeisenstraße 8a  
Place: 61169 Friedberg  
Telephone: +49 6031 7283-0      Telefax: +49 6031 7283-29  
E-mail: info@deltamed.de  
Contact person: Research and Development  
Department  
E-mail: info@deltamed.de  
Internet: www.deltamed.de  
Responsible Department: F&E  
Telefax +49 6031 7283-29

#### Supplier

Company name: picodent GmbH  
Street: Lüdenscheider Str. 24-26  
Place: 51688 Wipperfürth  
Telephone: +49 2267 6580-0  
Internet: picodent@picodent.de  
Responsible Department: Mo.-Fr. 7.30 - 16.45 Uhr

**1.4. Emergency telephone number:** Giftinformationszentrum Universitätsklinikum Mainz  
Telefon +49 6131 19240

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Skin Sens. 1; H317  
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

##### Hazard components for labelling

urethane dimethacrylate (UDMA)  
Tricyclodecan dimethanol diacrylate (TCDDMDA)  
1,4 Butanediol dimethacrylate (1,4-BDDMA)  
Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

**Signal word:** Warning

## Safety Data Sheet

according to Regulation (EC) No 1907/2006


### picopreci plus

Revision date: 11.08.2025

Product code: 13522XX

Page 2 of 11

#### Pictograms:



#### Hazard statements

- H317 May cause an allergic skin reaction.  
H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

- P261 Avoid breathing dust/vapours/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection.  
P302+P352 IF ON SKIN: Wash with plenty of water and soap.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P391 Collect spillage.  
P501 Dispose of contents/container in accordance with local regulation.

#### Special labelling of certain mixtures

Restricted to professional users.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture of acrylic resins, fillers and initiators.

#### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
72869-86-4	urethane dimethacrylate (UDMA)			50 - 70 %
	Skin Sens. 1B, Aquatic Chronic 2; H317 H411			
42594-17-2	Tricyclodecan dimethanol diacrylate (TCDDMDA)			20 - 40 %
	Skin Sens. 1B, Aquatic Chronic 2; H317 H411			
2082-81-7	1,4 Butanediol dimethacrylate (1,4-BDDMA)			< 20 %
	Skin Sens. 1B; H317			
84434-11-7	Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate			< 1 %
	282-810-6			
	Skin Sens. 1B, Aquatic Chronic 2; H317 H411			

Full text of H and EUH statements: see section 16.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### picopreci plus

Revision date: 11.08.2025

Product code: 13522XX

Page 3 of 11

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
72869-86-4		urethane dimethacrylate (UDMA)	50 - 70 %
		inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
42594-17-2		Tricyclodecan dimethanol diacrylate (TCDDMDA)	20 - 40 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
2082-81-7		1,4 Butanediol dimethacrylate (1,4-BDDMA)	< 20 %
		dermal: LD50 = > 3000 mg/kg; oral: LD50 = > 5000 mg/kg	
84434-11-7	282-810-6	Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate	< 1 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

###### General information

Medical treatment is necessary if symptoms occur which are obviously caused by skin or eye contact with the product or by inhalation of its vapours. Take off all contaminated clothing immediately.

###### After inhalation

Get medical advice/attention if you feel unwell. Provide fresh air.

###### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. If skin irritation occurs: Get medical advice/attention.

###### After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. If eye irritation persists: Get medical advice/attention.

###### After ingestion

Do NOT induce vomiting. Medical treatment necessary.

##### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

##### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

###### Suitable extinguishing media

Foam, Extinguishing powder, Carbon dioxide.

###### Unsuitable extinguishing media

Full water jet

##### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide, Carbon dioxide, Hazardous decomposition products.

##### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

###### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

#### SECTION 6: Accidental release measures

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### picopreci plus

Revision date: 11.08.2025

Product code: 13522XX

Page 4 of 11

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

##### **Other information**

Larger quantities: Take up mechanically (by pumping). Smaller quantities and/or residues: Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Do not breathe gas/fumes/vapour/spray.  
Provide fresh air.

##### **Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking.

##### **Advice on general occupational hygiene**

Avoid contact with skin, eyes and clothes. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Protect from the action of light. Keep only in the original container at a temperature between 4 -25 °C. Can polymerize with intense heat release.

##### **Hints on joint storage**

No special measures are necessary.

### **SECTION 8: Exposure controls/personal protection**

#### **8.1. Control parameters**

##### **DNEL/DMEL values**

CAS No	Name of agent	Exposure route	Effect	Value
72869-86-4	urethane dimethacrylate (UDMA)			
Worker DNEL, long-term		dermal	systemic	1,3 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	3,3 mg/m <sup>3</sup>

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### picopreci plus

Revision date: 11.08.2025

Product code: 13522XX

Page 5 of 11

#### PNEC values

CAS No	Name of agent	
Environmental compartment		Value
72869-86-4	urethane dimethacrylate (UDMA)	
Freshwater		0,01 mg/l
Marine water		0,001 mg/l
Freshwater sediment		4,56 mg/kg
Marine sediment		0,46 mg/kg
Micro-organisms in sewage treatment plants (STP)		3,61 mg/l
Soil		0,91 mg/kg

#### 8.2. Exposure controls

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Eye glasses with side protection

##### Hand protection

butyl rubber gloves (0.7 mm), Break through time ca. 300 min (EN 374). Gloves should be replaced regularly, especially after extended contact with the product. For each work-place a suitable glove type has to be selected.

##### Skin protection

Wear suitable protective clothing.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Gel	
Colour:	various, depending on coloration	
Odour:	aromatic	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flammability:		flammable liquids
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		> 100 °C °C
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:		not determined
Solubility in other solvents		not determined
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density:		1,1 g/cm <sup>3</sup>
Relative vapour density:		not determined
Particle characteristics:		not applicable

#### 9.2. Other information

##### Information with regard to physical hazard classes

Self-ignition temperature

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### picopreci plus

Revision date: 11.08.2025

Product code: 13522XX

Page 6 of 11

Solid: not applicable

Gas: not applicable

#### Other safety characteristics

Evaporation rate: not determined

Solid content: not determined

#### Further Information

Product has not been tested. The statement is derived from the properties of the components.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

### 10.4. Conditions to avoid

Protect from the action of light. Keep only in the original container at a temperature between 4 -25 °C. Can polymerize with intense heat release.

### 10.5. Incompatible materials

Oxidising agent, Reducing agent, Heavy metals, Acids, Alkali (lye)

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### picopreci plus

Revision date: 11.08.2025

Product code: 13522XX

Page 7 of 11

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
72869-86-4	urethane dimethacrylate (UDMA)				
	oral	LD50 >5000 mg/kg	Rat	OECD 401	
	dermal	LD50 >2000 mg/kg	Rat	OECD 402	
	inhalation (4 h) dust/mist	LC50 >5 mg/l			
42594-17-2	Tricyclodecan dimethanol diacrylate (TCDDMDA)				
	oral	LD50 > 2000 mg/kg	Rat	OECD 423	
	dermal	LD50 > 2000 mg/kg	Rat	OECD 402	
2082-81-7	1,4 Butanediol dimethacrylate (1,4-BDDMA)				
	oral	LD50 > 5000 mg/kg	Rat	OECD 401	
	dermal	LD50 > 3000 mg/kg	Rabbit		
84434-11-7	Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rat		

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

May cause mild skin and eye irritation.

#### Sensitising effects

May cause an allergic skin reaction. (urethane dimethacrylate (UDMA); Tricyclodecan dimethanol diacrylate (TCDDMDA); 1,4 Butanediol dimethacrylate (1,4-BDDMA); Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate)

May cause sensitization by skin contact.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Further information

The product has not been tested. The statement is derived from the properties of the single components.

## SECTION 12: Ecological information

### 12.1. Toxicity

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**picopreci plus**

Revision date: 11.08.2025

Product code: 13522XX

Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
72869-86-4	urethane dimethacrylate (UDMA)					
	Acute fish toxicity	LC50 mg/l	10,1	96 h	Danio rerio (zebrafish)	OECD 203
	Acute algae toxicity	ErC50 mg/l	>0,68	72 h	Desmodesmus subspicatus	OECD 201
	Acute crustacea toxicity	EC50 mg/l	>1,2	48 h	Daphnia magna (Big water flea)	
42594-17-2	Tricyclodecan dimethanol diacrylate (TCDDMDA)					
	Acute fish toxicity	LC50 mg/l	1,65	96 h	Danio rerio (zebrafish)	OECD 203
	Acute algae toxicity	ErC50	1,6 mg/l	72 h	Pseudokirchneriella subcapitata	OECD 201
	Acute crustacea toxicity	EC50 mg/l	2,36	48 h	Daphnia magna (Big water flea)	OECD 202
84434-11-7	Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate					
	Acute fish toxicity	LC50 mg/l	1,89	96 h	Danio rerio	
	Acute algae toxicity	ErC50 mg/l	1,01	72 h	Desmodesmus subspicatus	
	Acute crustacea toxicity	EC50 mg/l	2,26	48 h	Daphnia magna	

**12.2. Persistence and degradability**

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
72869-86-4	urethane dimethacrylate (UDMA)			
	Biodegradation	22 %	28	OECD 301 F
42594-17-2	Tricyclodecan dimethanol diacrylate (TCDDMDA)			
	OECD 301 F	27 %	56	
	Not readily biodegradable (according to OECD criteria)			

**12.3. Bioaccumulative potential**

The product has not been tested.

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No information available.

**Further information**

Do not allow uncontrolled discharge of product into the environment. Do not allow to enter into surface water or drains.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### picopreci plus

Revision date: 11.08.2025

Product code: 13522XX

Page 9 of 11

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Small quantities can be polymerized by light and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities. Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

070208 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; other still bottoms and reaction residues; hazardous waste

#### List of Wastes Code - used product

070208 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; other still bottoms and reaction residues; hazardous waste

#### List of Wastes Code - contaminated packaging

070208 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; other still bottoms and reaction residues; hazardous waste

#### Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### Land transport (ADR/RID)

<b>14.1. UN number or ID number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLIC RESIN)
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	E

#### Other applicable information (land transport)

SV 375: These substances, when carried in single or combination packagings of a net quantity not exceeding 5 litres of liquids or a net mass not exceeding 5 kg of solids per single or combination packaging, are not subject to the other provisions of ADR, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

### Inland waterways transport (ADN)

<b>14.1. UN number or ID number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLIC RESIN)
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### picopreci plus

Revision date: 11.08.2025

Product code: 13522XX

Page 10 of 11

#### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLIC RESIN)
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Special Provisions:	274, 335, 969
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-F

#### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLIC RESIN)
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Special Provisions:	A97 A158 A197
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y964
Excepted quantity:	E1
IATA-packing instructions - Passenger:	964
IATA-max. quantity - Passenger:	450 L
IATA-packing instructions - Cargo:	964
IATA-max. quantity - Cargo:	450 L

#### Other applicable information (air transport)

A 197: These substances are not subject to other provisions of these Regulations when carried in single or combination packagings with a net quantity per single or inner packaging not exceeding 5 L for liquids and a net weight not exceeding 5kg for substances, provided the packagings meet the general requirements of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:	Yes
Danger releasing substance:	ACRYLIC RESIN

#### 14.6. Special precautions for user

No information available.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):  
Entry 3

##### National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### picopreci plus

Revision date: 11.08.2025

Product code: 13522XX

Page 11 of 11

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,5,7,9,16.

Matter of revision: Regulation (EU) No. 2020/878, Annex II.

Matter of revision: change of formulation

#### Abbreviations and acronyms

Skin Sens: Skin sensitisation

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

#### Relevant H and EUH statements (number and full text)

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*